Better Modeling the Programming World with Code Concept Graphs-augmented Multi-modal Learning


Martin Weyssow, Houari Sahraoui, Bang Liu



Geodes Research Day and Symposium – May 2022

Context & Motivation

State-of-the-art learning paradigm



1. Multilingual pre-training

2. Fine-tuning & tasks

State-of-the-art learning paradigm

State-of-the-art deep learning models of code show great robustness and generalization on different data distribution and tasks.

They

- Learn from syntax \rightarrow sequences of code tokens
- Learn from global information \rightarrow self-attention layers

State-of-the-art learning paradigm

State-of-the-art deep learning models of code show great robustness and generalization on different data distribution and tasks.

They

- Learn from syntax \rightarrow sequences of code tokens
- Learn from global information \rightarrow self-attention layers


But

- Programs are concept-based \rightarrow concept graphs
- Programs are multimodal! \rightarrow learn from multiple level of abstraction

Can we learn better representations of code?

Multimodal learning with code concept graphs

Proposed approach. Joint-learn a BERT-like language model (LM) and a graph neural network (GNN).



Applicability to code search

- find the best code candidate given a natural language query
- simple fusion of code and concept graph representations
- improvement over CodeBERT, a strong baseline

Discussion

Can we have large multimodal pre-trained models of code?

- learn general-purpose code representations

and/or, should we fine-tune existing pre-trained models in a multimodal fashion?

- define modalities specific to the task

Scaling law \rightarrow more parameters = higher accuracy on the tasks at hand

- Can we observe the same trend with multimodal learning?
- How does multimodal learning compare to unimodal learning w.r.t this law?
- Are the data processing and fusion worth the time/resources? \rightarrow trade-off

Better Modeling the Programming World with Code Concept Graphs-augmented Multi-modal Learning





Martin Weyssow DIRO, University of Montreal martin.weyssow@umontreal.ca

Houari Sahraoui DIRO, University of Montreal sahraouh@iro.umontreal.ca

Bang Liu DIRO & Mila, University of Montreal bang.liu@umontreal.ca

